

## List of useful literature for studying air polishing technology

- Agger MS, Hörsted-Bindslev P, Hovgaard O. Abrasiveness of an air-powder polishing system on root surfaces in vitro. *Quintessence Intl.* 2001;32:407-411.
- Agrawal A, Shigli A. Comparison of six different methods of cleaning and preparing occlusal fissure surface before placement of pit and fissure sealant: an in vitro study. *J Indian Soc Pedod Prev Dent* 2012;30:51-5.
- Arabaci T, Çiçek Y, Özgöz M, Canakçi V, Canakçi CF, Eltas A. The comparison of the effects of three types of piezoelectric ultrasonic tips and air polishing system on the filling materials: an in vitro study. *Int J Dent Hyg.* 2007;5(4):205–210.
- Atkinson DR, Cobb CM, Killoy WJ. The effect of an air-powder abrasive system on in vitro root surfaces. *J Periodontol.* 1984; 55:13-18.
- Banerjee A, Hajatdoost–Sani M, Farrell S, Thompson I. A clinical evaluation and comparison of bioactive glass and sodium bicarbonate air–polishing powders. *J Dent.* 2010;38(6):475–479.
- Barnes CM, Fleming LS, Mueninghoff LA. SEM evaluation of the in-vitro effects of an air-abrasive system on various implant surfaces. *Int J Oral Maxillofac Implants.* 1991; 6:463-469.
- Barnes CM, Hayes EF, Leinfelder KF. Effects of an airabrasive polishing system on restored surfaces. *Gen Dent.* 1987; 35:186-189.
- Barnes CM, Russell CM, Gerbo LR, Wells B, Barnes DW. Effects of an air-powder polishing system on orthodontically bracketed and banded teeth. *Am J Ortho.* 1990; 97:74-81.
- Barnes CM. Air Polishing: A Mainstay for Dental Hygiene. Pennwell Publications, April, 2013, pp. 1-11.
- Barnes CM. An In-Depth Look at Air Polishing. *Dimensions of Dental Hygiene* (March 2010) 8(3): 32, 34-36, 40.
- Barnes CM. The science of polishing. *Dimensions of Dental Hyg* 2009; 7(11): 18-20, 22.
- Barnes CM. The management of aerosols with air polishing delivery systems. *J Dent Hyg* 1991; 65:250-252.
- Barnes CM., Covey D., Watanabe H., Simentich B., Schulte J.R., Chen H. An In Vitro Comparison of the Effects of Various Air Polishing Powders on Enamel and Selected Esthetic Restorative Materials. *The Journal of Clinical Dentistry* Vol. XXV, No. 4, 76-87
- Black RB. Technic for non-mechanical preparation of cavities and prophylaxis. *J Am Dent Assoc* 1945;32:955-965.
- Brockmann SL, Scott RL, Eick JD. The effect of an air-polishing device on tensile bond strength of a dental sealant. *Quintessence Intl.* 1989; 20:211-217.
- Brockmann SL, Scott RL, Eick JD. A scanning electron microscopic study of the effect of air polishing on the enamel-sealant surface. *Quintessence Intl* 1990;21:201-6.
- Carr MP, Mitchell JC, Seghi RR, Vermilyea SG. The effect of air polishing on contemporary esthetic restorative materials. *Gen Dent.* 2002; 50:238-41.
- Cooley RL, Lubow RM, Brown FH. Effect of airpowder abrasive instrument on porcelain. *J Prosthet Dent.* 1988; 60:440-443.
- Dieter EA., Gross A. Air-Polishing – vom Power-Cleaning zum Biofi Immanagement – Teil 1. *Prophylaxe Journal* 3 | 2016, 14-18

- Engel S, Jost–Brinkmann PG, Spors CK, Mohammadian S, Müller–Hartwich R. Abrasive effect of air–powder polishing on smooth surface sealants. *J Orofac Orthop.* 2009;70(5):363–370.
- Flemmig TF, Hetzel M, Topoll H, Gerss J, Haeberlein I, Petersilka G. Subgingival debridement efficacy of glycine powder air polishing. *J Periodontol.* 2007;78:1002-1010.
- Frankenberger R, Lohbauer U, Tay FR, Taschner M, Nikolaenko SA. The effect of different air-polishing powders on dentin bonding. *J Adhes Dent.* 2007; 9:381-389.
- Gerbo LR, Barnes CM, Leinfelder KF. Applications of the air-powder polisher in clinical orthodontics. *Am J Orthod Dentofacial Orthop.* 1993; 103:71-73.
- Gerbo LR, Lacefield WR, Barnes CM, Russell CM. Enamel roughness after air-powder polishing. *Am J Dent.* 1993;2:696-698.
- Giacomelli L, Salerno M, Derchi G, Genovesi A, Paganin PP, Covani U. Effect of air polishing with glycine and bicarbonate powders on nanocomposite used in dental restorations: An in vitro study. *Int J Periodontics Restorative Dent.* 2001;31(5):e51–56.
- Graumann SJ, Sensat ML, Stoltenberg JL. Air Polishing: A Review of Current Literature. *The Journal of Dental Hygiene* 2013;87(4):173–180.
- Gutmann ME. Air polishing: a comprehensive review of the literature. *The Journal of Dental Hygiene* 1998;72(3):47–56.
- Gutmann MS, Marker VA, Gutmann JL. Restoration surface roughness after air-powder polishing. *Am J Dent.* 1993; 6:99-102.
- Hochleitner S. Pulverstrahltechnik in der Parodontologie. *PLAQUE N CARE* 1/2013, 14–17
- Ji YJ, Tang ZH, Wang R, Cao J, Cao CF, Jin LJ. Effect of glycine powder air polishing as an adjunct in the treatment of peri-implant mucositis: a pilot clinical trial. *Clin Oral Implant Res* 2014;25:683-9.
- Johnson WW, Barnes CM, Covey DA, Walker MP, Ross JA. The effects of a commercial aluminum air polishing powder on dental restorative materials. *J Prosthodont.* 2004;13,166-172.
- Johnson WW, Barnes, CM, Covey DA, Walker MP, Ross JA. An in vitro investigation of the effects of an aluminum trihydroxide air polishing powder delivered via the Prophy Jet™ on dental restorative materials. *J Prosthodont*, September, 13:1-7, 2004
- Jost-Brinkmann PG. The influence of air polishers on tooth enamel. An in vitro study. *J Orofac Orthop* 1998;59:1-16.
- Lubow RM, Cooley RL. Effect of air-powder abrasive instrument on restorative materials. *J Prosthet Dent.* 1986; 55:462-465.
- Mohan R, Chowdhary Z, Sharma V, Rai R. Air Polishing: An Update. *International Journal of Maxillofacial Research* 2015 Volume 1 Issue 1.
- Muzzin K, King T, Berry C. Assessing the clinical effectiveness of an aerosol reduction device for the air polisher. *J Am Dent Assoc.* 1999;130(9):1354–1359.
- Parmagnani EA, Basting RT. Effect of sodium bicarbonate air abrasive polishing on attrition and surface micromorphology of ceramic and stainless steel brackets. *Angle Orthod.* 2012;82(2):351–362.
- Patil VA et al. Air Polishing–An Overview. *Sch. J. Dent. Sci.*, Vol-5, Iss-3 (Mar, 2018): 139-142
- Pelka M, Trautmann S, Petschelt A, Lohbauer U. Influence of air polishing devices and abrasives on root dentin-An in vitro confocal laser scanning microscope study. *Quintessence Int* 2010;41:e141-8.
- Petersilka G, Faggion CM Jr, Stratmann U, Gerss J, Ehmke B, Haeberlein I, Flemmig TF. Effect of glycine powder air-polishing on the gingiva. *J Clin Periodontol.* 2008; 35:324-332.

- Petersilka GJ, Bell M, Mehl A, Hickel R, Flemmig TF. Root defects following air polishing. An in vitro study on the effects of working parameters. *J Clin Periodontol.* 2003;30(2):165–170.
- Petersilka GJ, Schenck U, Flemmig TF. Powder emission rates of four air polishing devices. *J Clin Periodontol.* 2002;29(8):694–698.
- Petersilka GJ, Tunkel J, Barakos K, Heinecke A, Häberlein I, Flemmig TF. Subgingival Plaque Removal at Interdental Sites Using a Low Abrasive Air Polishing Powder. *J Periodontol*, March 2003, Volume 74, Number 3, 307-311
- Pikdoken ML, Ozcelik C. Severe enamel abrasion due to misuse of an air polishing device. *Int J Dent Hyg.* 2006;(4):209–212.
- Ribeiro HZ, Lima JE, Vono BG, Machado MA, da Silva SM. Air polishing effect on bovine enamel and the posterior remineralizing effect of saliva. An in vitro study. *J Appl Oral Sci.* 2006;14(3):193–197.
- Salerno M, Giacomelli L, Derchi G, Patra N, Diaspro A. Atomic force microscopy in vitro study of surface roughness and fractal character of a dental restoration composite after air-polishing. *Biomed Eng Online.* 2010;9:59.
- Schwarz F., Becker K., Louropoulou A., Mombelli A. Recommendations on the clinical application of air polishing for the management of peri-implant mucositis and peri-implantitis. *Quintessence international* (Berlin, Germany: 1985) · November 2015
- Snyder JA, McVay JT, Brown FH, et al. The effect of air abrasive polishing on blood pH and electrolyte concentrations in healthy mongrel dogs. *J Periodontol* 1990; 61: 81-86.
- Tada K, Kakuta K, Ogura H, Sato S. Effect of particle diameter on air polishing of dentin surfaces. *Odontology.* 2010;98(1):31–36.
- Tuzcel NY., Akkaya M., Karacaoglu F. A Comparative Evaluation of 3 Different Polishing Methods on Tooth Surface Roughness. *Journal of Biomedical Sciences* 2016, Vol. 6 No. 1:2
- White SL, Hoffman LA. A practice survey of hygienists using an air-powder system—An investigation. *J Dent Hyg.* 1991;65:433–437.
- Wilmes B, Vali S, Drescher D. In-vitro study of surface changes in fixed orthodontic appliances following air polishing with Clinpro Prophy and Air-Flow. *J Orofac Orthop.* 2009;70(5):371–384.
- Perry DA, Beemsterboer PL, Essex G. *Periodontology for the Dental Hygienist - Edition 4*, Elsevier Health Sciences; 2015; 352
- O'Brien WL. *Dental Materials and Their Selection*, Quintessence Publishing, 1997
- ISO 20608:2018 Dentistry - Powder jet handpieces and powders.